


0	09.02.02	ISSUED		An.T.	Al.T.	A.M.			
Rev.	Date	Description	Drawn	Checked	Approved				
CACCIALANZA & C. s.p.a. ANTINCENDIO SICUREZZA ANTINQUINAMENTO SEGRATE (MILAND) - ITALY			Client / Project						
			Title						
			JUNCTION BOX FOR REMOTE CONTROLLED MONITOR (2 MOV) WITCH EITHER VALVE OR DEFLECTOR STANDARD EXECUTION						
	Date	Name							
Drawn	09.02.02	An.T.							
Checked	09.02.02	Al.T.							
Approved	09.02.02	A.M.							
Code		Sys.	Size	Scale	Dwg nr.	Rev.	Sheet	1	
			A3	/	46403020	0	of	6	
THIS DRAWING IS THE PROPERTY OF CACCIALANZA & C. S.p.A. AND IS NOT TO BE REPRODUCED OR USED TO FURNISH ANY INFORMATION FOR MAKING OF DRAWINGS OR APPARATUS EXCEPT WHERE PROVIDED FOR BY AGREEMENT WITH SAID COMPANY									

SHEET	DESCRIPTION	MODIFY									SHEET	DESCRIPTION	MODIFY								
		A	B	C	D	E	F	G	H	I			A	B	C	D	E	F	G	H	I
1	COVER	0									1										
2	MODYFY TABLE	0									2										
3	TECHNICAL DATA	0									3										
4	WIRE COLOUR TABLE	0									4										
5	TERMINAL CONNECTIONS	0									5										
6	LAY OUT	0									6										
7																					
8																					
9																					
10																					
11																					
12																					
13																					
14																					
15																					
16																					
17																					
18																					
19																					
20																					
21																					
22																					
23																					
24																					
25																					
26																					
27																					
28																					


CACCIALANZA & C. s.p.a ANTINCENDIO SICUREZZA ANTINQUINAMENTO SEGRATE (MILANO) - ITALY	TITLE	CLIENT	DATE	09.02.02	DWG N°	46403020					
	JUNCTION BOX		SCALE	/	PROJECT N°						
	TYPE A3-A4-A6-A8/EL		DRAWN	An.T.							
			0	ISSUED	09.02.02	CHECKED	Al.T.				
			REV.	MODIFY	DATE	APPROVED	A.M.	SHEET N°	2	OF	6

JUNCTION BOX

RATED SERVICE VOLTAGE:.....400V	TYPE OF SEGREGATION:.....FORM 1	TEMPERATURE:.....40°C
RATED INSULATION VOLTAGE:.....1000V	INSTALLATION:.....OUTDOOR	DEGREE OF PROTECTION:.....IP65
RATED FREQUENCY:.....50Hz	COMPLIANCE WITH STANDARD:.....CEI 17/13.1	COLOR:.....RED RAL3000
ELECTRICAL SYSTEM:.....3Ph+PE	IN/OUT CABLES:.....SIPES	

			DATE	09.02.02		DWG N°	46403020
			SCALE	/			
			DRAWN	An.T.			
0	ISSUED	09.02.02	CHECKED	Al.T.		PROJECT N°	
REV.	MODIFY	DATE	APPROVED	A.M.		SHEET N°	3 OF 4

POWER CIRCUIT		AUXILIARY CIRCUIT	
MIN. SECTION 2,5mmq		MIN. SECTION 1,5mmq	
CONDUCTOR		CONDUCTOR	
PHASES	BLACK	24V - C.A.	RED
NEUTRAL	LIGHT BLUE	110V - A.C	RED
GROUND	YELLOW-GREEN	220V - A.C	BLACK
		24V - D.C	BLUE
WIRE COLOUR TABLE			





-XJB

POWER CONNECTION
400V 3Ph 50Hz

AUXILIARY CONNECTION
24V 50Hz

CACCIALANZA & C. s.p.a ANTINCENDIO SICUREZZA ANTINQUINAMENTO SEGRATE (MILANO) - ITALY	TITLE	CLIENT		DATE	09.02.02	DWG N° 46403020 PROJECT N° SHEET N°. 5 OF 6	
	JUNCTION BOX TYPE A3-A4-A6-A8/EL				SCALE		/
					DRAWN		An.T.
					0 ISSUED		09.02.02
			REV.	MODIFY	DATE	APPROVED	A.M.



INTERNAL LAY OUT

CACCIALANZA & C. s.p.a
 ANTINCENDIO SICUREZZA ANTINQUINAMENTO
 SEGRATE (MILANO) - ITALY

TITLE
 JUNCTION BOX
 TYPE A3-A4-A6-A8/EL

CLIENT

			DATE	09.02.02	DWG N°	46403020
			SCALE	/	PROJECT N°	
			DRAWN	An.T.		
0	ISSUED	09.02.02	CHECKED	AI.T.		
REV.	MODIFY	DATE	APPROVED	A.M.	SHEET N°	6 OF 6